

**Zoning Resolution** 

THE CITY OF NEW YORK Eric Adams, Mayor CITY PLANNING COMMISSION Daniel R. Garodnick, Chair

# 33-30 - OTHER SPECIAL PROVISIONS FOR REAR YARDS

File generated by https://zr.planning.nyc.gov on 9/3/2025

## **33-30 - OTHER SPECIAL PROVISIONS FOR REAR YARDS**

LAST AMENDED 12/15/1961

#### $C1\,C2\,C3\,C4\,C5\,C6\,C7\,C8$

In all districts, as indicated, the #rear yard# requirements set forth in Section <u>33-26</u> (Minimum Required Rear Yards) shall be modified as set forth in this Section.

#### 33-301 - Within one hundred feet of corners

LAST AMENDED 12/15/1961

 $C1\,C2\,C3\,C4\,C5\,C6\,C7\,C8$ 

In all districts, as indicated, no #rear yard# shall be required within 100 feet of the point of intersection of two #street lines# intersecting at an angle of 135 degrees or less.

#### 33-302 - Along short dimension of block

LAST AMENDED 12/5/2024

#### C1 C2 C3 C4 C5 C6 C7 C8

In all districts, as indicated, whenever a #front lot line# of a #zoning lot# coincides with the #street line# of the #short dimension of a block#, no #rear yard# shall be required within 100 feet of such #front lot line#.


### 33-303 - For zoning lots with multiple rear lot lines

LAST AMENDED 4/30/2008

 $C1\,C2\,C3\,C4\,C5\,C6\,C7\,C8$ 


In all districts, as indicated, for #zoning lots# with multiple #rear lot lines#, if a #rear yard# extends from a #rear lot line# away from the #street line# which is used to determine such #rear lot line#, the following rules shall apply:

(a) A #rear yard# with a minimum depth of 20 feet shall be provided where such #rear lot line# coincides with a #rear lot line# of an adjoining #zoning lot#.



(33-303a)

- (b) No #rear yard# shall be required where such #rear lot line# coincides with a #side lot line# of an adjoining #zoning lot#.
- (c) For portions of #through lots# that have multiple #rear lot lines# and such portions are not subject to #interior lot# regulations, the #street line# bounding the #zoning lot# closest to such #rear lot line# shall be used to determine compliance with this Section.



Rear Yard extending away from Street A

(33-303c)

## 33-31 - Special Provisions for Zoning Lots Divided by District Boundaries

LAST AMENDED 12/15/1961

 $C1\,C2\,C3\,C4\,C5\,C6\,C7\,C8$ 

In all districts, as indicated, whenever a #zoning lot# is divided by a boundary between districts with different #yard# regulations, the provisions set forth in Article VII, Chapter 7 shall apply.

# 33-32 - Modification of Yard Regulations

LAST AMENDED 12/5/2024

C5-5 C6-8 C6-9 C6-11 C6-12

(a) In the districts indicated, the regulations set forth in Sections <u>33-26</u> (Minimum Required Rear Yards) through <u>33-30</u> (OTHER SPECIAL PROVISIONS FOR REAR YARDS), inclusive, relating to #rear yard# regulations, may be modified in accordance with the provisions of Section <u>73-68</u> (Height and Setback and Yard Modifications).

 $C1\,C2\,C3\,C4\,C5\,C6\,C7\,C8$ 

(b) In all districts, the regulations set forth in Section <u>33-303</u> (For zoning lots with multiple rear lot lines) may be modified in accordance with the provisions of Section <u>73-69</u> (Rear Yard Modifications).