

# **Zoning Resolution**

THE CITY OF NEW YORK

CITY PLANNING COMMISSION

Eric Adams, Mayor

Daniel R. Garodnick, Chair

# 62-40 - SPECIAL PARKING AND LOADING REGULATIONS

File generated by https://zr.planning.nyc.gov on 8/30/2025

#### 62-40 - SPECIAL PARKING AND LOADING REGULATIONS

LAST AMENDED 4/22/2009

#### 62-41 - Special Regulations for Accessory Residential Parking Facilities

LAST AMENDED 4/22/2009

The applicable district regulations pertaining to permitted or required off-street parking facilities #accessory# to #residential uses# shall apply to all #developments# on #waterfront blocks# except as modified in this Section or in Section 62-45 (Supplementary Regulations for All Parking Facilities).

#### 62-411 - Accessory residential roof parking

LAST AMENDED 2/2/2011

On #waterfront blocks#, parking spaces #accessory# to #residential uses# may be located on the roof of a #building#, or portion thereof, that does not contain #dwelling units# or #rooming units#, provided that:

- (a) the roof level is not higher than 23 feet above the #base plane#;
- (b) the perimeter of the roof is enclosed by a four foot high parapet wall or other enclosure at least 50 percent opaque;
- (c) trees are provided in accordance with Section <u>62-655</u> (Planting and trees) at the rate of one tree for each 10 parking spaces for parking areas at grade;
- (d) if on the roof of a portion of a #building# containing #dwelling units# or #rooming units#, the sill level of any #dwelling unit# or #rooming unit# windows opening onto such roof area is at least 10 feet above the roof and no parking spaces or vehicular aisles are located within 10 feet of a wall with #dwelling unit# or #rooming unit# windows; and
- (e) no flood lighting shall be permitted and any lighting shall be directed away from any #residential# windows on the same or an adjacent #zoning lot#.

# 62-412 - Accessory residential off-site parking

LAST AMENDED 2/2/2011

For #developments# on #waterfront blocks#, the provisions of Sections 25-52 and 36-42 (Off-site Spaces for Residences) shall be modified so as to permit all permitted or required #accessory# spaces to be located on a separate #zoning lot#, provided that:

- (a) such off-site facility is not located in an R1, R2, R2X, R3-1, R3A, R3X, R4-1, R4A or R4B District;
- (b) if such off-site facility is located in other R3, R4 or R5 Districts, such off-site facility is contiguous or would be contiguous except for its separation by a #street# or #street# intersection to the #zoning lot# occupied by the #residences# to which the spaces are #accessory#;
- (c) if such off-site facility is located in other than a R3, R4 or R5 District, all parking spaces shall not be further than 1,000

feet from the nearest boundary of the #zoning lot# occupied by the #residences# to which they are #accessory#;

- (d) in R3, R4 and R5 Districts, such off-site facility shall be an open lot not exceeding 12,000 square feet. In other districts, parking structures shall be permitted and the maximum size of the facility shall be governed by the provisions of Sections 25-12 and 36-12 (Maximum Size of Accessory Group Parking Facilities);
- (e) in #Residence Districts#, no parking spaces are located within a required #front yard# or within four feet of any #lot line#. #Front yards# shall be planted and screening shall be provided along any #lot lines# in accordance with Section 62-655 (Planting and trees);
- (f) in all districts, lighting shall be directed away from adjoining #buildings# containing #residences#. In no event shall flood lighting be permitted for off-site facilities in #Residence Districts#; and
- (g) in all districts, trees shall be provided in accordance with Section <u>62-655</u> at the rate of one tree for each 10 parking spaces for on-site facilities within a #waterfront block#.

#### 62-42 - Special Regulations for Accessory Non-residential Parking Facilities

LAST AMENDED 4/22/2009

The applicable district regulations pertaining to permitted or required off-street parking facilities #accessory# to non-#residential uses# shall apply to all #developments# on #waterfront blocks# except as modified in this Section or in Section 62-45.

### 62-421 - Accessory non-residential roof parking

LAST AMENDED 2/2/2011

On #waterfront blocks#, parking spaces #accessory# to non-#residential uses# may be located on the roof of a #non-residential building# or a non-#residential# portion of a #building# containing #residential use#, provided that they comply with Section 62-411 (Accessory residential roof parking), paragraphs (a) through (e).

# 62-422 - Accessory non-residential off-site parking

LAST AMENDED 4/22/2009

For #developments# on #waterfront blocks#, the provisions of Sections <u>36-43</u> (Off-site Spaces for Community Facility Uses) and <u>44-32</u> (Off-site Spaces for All Permitted Uses) shall be modified to permit such spaces to be within 1,000 feet of the #zoning lot# to which they are #accessory#.

#### 62-43 - Parking Requirements for Commercial Docking Facilities

LAST AMENDED 12/5/2024

#Accessory# off-street parking spaces, open or enclosed, shall be provided in conformity with the requirements set forth in the table in this Section for all #developments# involving the commercial docking facilities listed. For the purposes of this Section, the term #development# shall also include, in the case of an existing docking facility, an increase in any unit of measurement used in computing parking requirements.

In addition, passenger drop-off and pick-up areas shall be provided as set forth in Section 62-462.

#Accessory# off-street parking or drop-off and pick-up area requirements for docking facilities serving ferries or sightseeing, excursion or sport fishing vessels may be modified by City Planning Commission authorization pursuant to the provisions of Section 62-821.

#### REQUIRED PARKING SPACES FOR DOCKING FACILITIES

Docking Facilities Serving	Districts	Number of Required Parking Spaces
Non-commercial pleasure boats Rental boats	C1 thru C8 M1 M2 M3	1 per 2 berths or moorings
Ferries	R3** thru R5**	0.30 x p*
Sightseeing, excursion or sport fishing vessels	C1-1 C2-1 C3 C4-1	
	R6** R7-1** R7A** R7B** R7D**	0.20 x p*
	C1-2 C2-2 C4-2 C8-1 M1-1 M1-2	
	M2-1 M2-2 M3-1	
	R7-2** R7-3** R7X** C1-3 C2-3 C4-3 C8-2	0.15 x p*
	M1-3	

C1-4 C2-4 C4-4 C8-3

C7 outside the #Greater
Transit Zone#

#Manufacturing Districts# with an A suffix outside the #Greater Transit Zone#

R10\*\*

None required

C1-5 thru C1-9

C2-5 thru C2-8

C4-4A C4-5 C4-6 C4-7 C4-8 C4-9 C4-11 C4-12

C5 C6 C8-4

M1-4 M1-5 M1-6

M2-3 M2-4 M3-2

C7 within the #Greater
Transit Zone#

#Manufacturing Districts# with an A suffix within the #GreaterTransit Zone#

Passenger ocean vessels

C6\*\*

0.15 x p\*

M1-1 M1-2 M1-3 1 per 2,000 sq. ft. of #lot area# or 1 per 3 m2-1 M2-2 employees, whichever

M3-1

#Manufacturing Districts#
with an A suffix outside the
#Greater Transit Zone#

M1-4 M1-5 M1-6

None required

is less

M2-3 M2-4

M3-2

#Manufacturing Districts# with an A suffix within the #Greater Transit Zone#

Vessels not otherwise listed

M1-1 M1-2 M1-3

1 per 2,000 sq. ft. of

M2-1 M2-2 M3-1

#lot area# or 1 per 3 employees whichever is less

#Manufacturing Districts# with an A suffix outside the #Greater Transit Zone#

M1-4 M1-5 M1-6

None required

M2-3 M2-4

M3-2

#Manufacturing Districts# with an A suffix within the #Greater Transit Zone#

For sightseeing, excursion, sport fishing or passenger ocean vessels, "p" is the sum of the maximum capacities of all such vessels using a dock. The maximum capacity of each vessel is its U.S. Coast Guard certified capacity

For docks serving both above categories of vessels, the number of parking spaces required shall be the sum of the number of spaces required for each category

By City Planning Commission special permit only for ferries or passenger ocean vessels in districts indicated

#### 62-44 - Parking and Loading Requirements for Floating Structures

LAST AMENDED 4/22/2009

#Accessory# off-street parking spaces and loading berths shall be provided for all #developments# on #floating structures# in accordance with applicable district regulations unless specifically modified by this Chapter.

Where #floor area# is the unit of measurement for a #use#, the #floor area# shall be deemed to be the area of all floors or decks, both open and enclosed, on all levels of the #floating structure#. Floor or deck space occupied permanently and exclusively by mechanical equipment or that is normally inaccessible for human occupancy may be excluded.

Where #lot area# is the unit of measurement for a #use#, the #water coverage# of the #floating structure# shall be deemed to be #lot area#.

#### 62-45 - Supplementary Regulations for All Parking Facilities

LAST AMENDED 2/2/2011

The applicable district regulations for #developments# with #accessory# or public parking facilities are further modified by this Section.

## 62-451 - Parking spaces on floating structures

LAST AMENDED 4/22/2009

No #accessory# parking spaces shall be located on a #floating structure# except in conjunction with a special permit pursuant to Section <u>62-834</u> (Uses on floating structures).

# 62-452 - Off-site parking in public parking facilities

LAST AMENDED 4/22/2009

Notwithstanding the provisions of Section 12-10 (DEFINITIONS), a #public parking garage# or #public parking lot# may include permitted or required #accessory# off-street parking spaces which are #accessory# to #uses# on a separate #zoning lot#, provided that:

- (a) the #uses# to which they are #accessory# are on a #zoning lot# within a #waterfront block#;
- (b) the entrance to the facility is not further than 1,000 feet from the nearest boundary of the #zoning lot# occupied by the #uses# to which it is #accessory#; and

(c) the ownership requirement for such #accessory# off-street parking spaces is satisfied by an interest commensurate with the interest of the principal #use#.

Whenever #accessory# parking spaces are provided off-site within a public parking facility, the number of spaces and the #use# to which they are #accessory# shall be recorded on the certificates of occupancy for both the principal #use# and the public parking facility.

#### 62-453 - Screening requirements for parking facilities on waterfront blocks

LAST AMENDED 6/6/2024

- (a) Open parking areas on #waterfront blocks# shall be screened from all adjoining #zoning lots# pursuant to Section 62-655 (Planting and trees), paragraph (a)(7)(iii), or from a #street# or an #upland connection# pursuant to Section 37-921 (Perimeter landscaping). Screening may be interrupted only by vehicular or pedestrian entrances.
- (b) All parking garages that occupy the ground floor frontage along any #street# or #upland connection# shall be screened in accordance with the planting requirements of Section 62-655.
- (c) For parking garages on #piers#, at least 50 percent of the perimeter wall area on all sides fronting on public access areas, up to a height of 15 feet, shall consist of clear or lightly tinted transparent material or latticework.
- (d) The screening requirements shall not apply to #accessory# parking for WD #uses# or other #uses# listed under Use Groups IV(B), IX or X, when located in C8 or #Manufacturing Districts#, except as set forth in the applicable district regulations.

# 62-454 - Off-street parking in large-scale general developments in Community District 1 in Queens

LAST AMENDED 10/9/2013

For #large-scale general developments# within the Hallets Point Peninsula in Community District 1, in the Borough of Queens, #floor area# shall not include floor space used for off-street parking spaces provided in any #story# located not more than 33 feet above the #base plane#, provided that where such facilities front upon #streets# and #waterfront public access areas#, such spaces are within facilities that are located behind #commercial#, #community facility# or #residential# floor space so that no portion of such parking facility, other than entrances and exits, is visible from such #street# or #waterfront public access areas#. Such floor space shall have a minimum depth of 18 feet.

# 62-46 - Supplementary Regulations for Loading Facilities

LAST AMENDED 4/22/2009

The applicable district regulations pertaining to permitted or required #accessory# off-street loading facilities shall apply to all

#### 62-461 - Screening requirements for loading facilities on waterfront blocks

LAST AMENDED 4/22/2009

All open off-street loading berths on #waterfront blocks# shall be screened from all adjoining #zoning lots#, including such #zoning lots# situated across a #street# and from all public access areas on the #zoning lot# pursuant to Section 62-655 (Planting and trees). Screening may be interrupted only by vehicular or pedestrian entrances.

The screening requirement shall not apply to #accessory# loading berths for WD #uses# or other #uses# in Use Groups IV(B), IX or X, when located in C8 or #Manufacturing Districts#, except as set forth in the applicable district regulations.

#### 62-462 - Passenger drop-off and pick-up areas for docking facilities

LAST AMENDED 2/2/2011

All #developments# providing new docking facilities serving ferries, sightseeing, excursion, sport fishing or passenger ocean vessels, shall provide an area for the drop-off and pick-up of passengers by car, taxi, van and bus as shown in the table in this Section. Such area shall be located on the #zoning lot# or on another #zoning lot# in the same or an adjoining #Commercial# or #Manufacturing District#, which is contiguous to the #zoning lot# occupied by the docking facility, or would be contiguous except for its separation by a #street# or #street# intersection.

Such area shall be accessed by a one-way driveway at least 15 feet wide with separate entranceways and exits located at least 50 feet apart on the same #street# or located on separate #streets#, provided that no entrance or exit is less than 50 feet from a #street# intersection.

Such area, which may include the driveway on the #zoning lot#, shall be large enough to accommodate the number of vehicles required by the following table, based on a dimensional allowance of 10 feet by 20 feet for cars, taxis and vans and 12 feet by 50 feet for buses.

The Commissioners of Buildings or Business Services, as applicable, may accept an equivalent lay-by area on a portion of a #street# adjoining the #zoning lot#, if such #street# treatment and drop-off area is approved by the Department of Transportation.

#### REQUIRED DROP-OFF AND PICK-UP SPACES FOR VARIOUS DOCKING FACILITIES

Docks Serving	Maximum Vessel Capacity*	Number of Car Spaces**	Number of Bus Spaces
Ferries	100 or more	1 for each 50 passengers over100; maximum requirement 10	None Required

Sightseeing, excursion, or sport fishing	Up to 200	None Required	None Required
vessels	Over 200	1 for each 50 passengers over 200; maximum requirement 15	1 for each 50 passengers over 200; maximum requirement 2
Any #commercial# vessels	Over 2,500	20	3

<sup>\*</sup> Capacity of the largest vessel using a dock. Capacity of a vessel is its U.S. Coast Guard certified capacity. For ferries, the N.Y.C. Department of Transportation operating permit capacity may be used as the vessel capacity

#### 62-47 - Special Parking and Loading Regulations for Waterfront Access Plan BK-1

LAST AMENDED 4/22/2009

Within Waterfront Access Plan BK-1, the special parking and loading regulations of this Section are further modified as follows:

- (a) The provisions of Sections <u>62-411</u> and <u>62-421</u> shall not be applicable.
- (b) #Accessory# off-street parking spaces for #uses# permitted pursuant to Section <u>62-29</u> shall be provided in conformity with the regulations of Sections <u>36-21</u>, <u>36-22</u> and <u>36-232</u> for C2-4 Districts.
- (c) Any required #accessory# off-street parking spaces provided for #uses# located on a parcel identified in Waterfront Access Plan BK-1 may be located anywhere within such parcel.

<sup>\*\*</sup> Includes cars, taxis and vans