



## **Zoning Resolution**

**THE CITY OF NEW YORK**  
**Zohran K. Mamdani, Mayor**

**CITY PLANNING COMMISSION**  
**Sideya Sherman, Chair**

# **115-23 - Height and Setback Regulations**

File generated by <https://zr.planning.nyc.gov> on 4/14/2026

---

## 115-23 - Height and Setback Regulations

---

LAST AMENDED

10/29/2025

The underlying height and setback regulations shall apply except as modified by the provisions of this Section, inclusive.

All heights shall be measured from the #base plane#.

---

## 115-231 - Permitted obstructions

---

LAST AMENDED

12/5/2024

The provisions of Section [33-42](#) (Permitted Obstructions) shall apply to all #buildings# within the #Special Downtown Jamaica District#, except that dormers may penetrate a maximum base height in accordance with the provisions of paragraph (b)(1) of Section [23-413](#) (Permitted obstructions in certain districts).

---

## 115-232 - Street wall location

---

In #Residence Districts#, #Commercial Districts# and M1 Districts paired with a #Residence District#, the underlying #street wall# location provisions shall be modified as follows:

- (a) along Jamaica Avenue, the #street wall# location provisions of paragraph (a) of Section [35-631](#) shall apply;
- (b) along all other #zoning lot# frontages, the #street wall# location provisions of paragraph (b) of Section [35-631](#) shall apply. However, for the portion of a #zoning lot# fronting along 164th Street between Jamaica Avenue and Archer Avenue, or fronting along 92nd Road between 164th Street and 165th Street, such #street wall# location provisions need not apply;
- (c) for all Districts, such #street walls# need only extend to a minimum base height of 40 feet; and
- (d) along the following #street# frontages, for #developments# with #building# widths exceeding 100 feet, a minimum of 20 percent of the surface area of such #street walls# above the level of the #second story#, or a height of 30 feet, whichever is lower, shall either recess or project a minimum of three feet from the remaining surface of the #street wall#:
  - (1) Hillside Avenue, between the Van Wyck Expressway and Parsons Boulevard;
  - (2) Archer Avenue, between the Van Wyck Expressway and Parsons Boulevard;
  - (3) Sutphin Boulevard, between Hillside Avenue and Liberty Avenue; and
  - (4) 150th Street, between Hillside Avenue and Liberty Avenue.

LAST AMENDED

10/29/2025

The underlying height and setback provisions shall be modified as follows:

In #Residence# and #Commercial Districts#, all #buildings# shall follow the applicable height and setback regulations for #residences# set forth in Section [23-43](#) (Height and Setback Requirements in R6 Through R12 Districts), inclusive, in accordance with the applicable #residential equivalent#, except that in C6 Districts without a letter suffix, the height and setback provisions of paragraph (b) of Section [123-652](#) (Special base and building heights) may be applied for the applicable #residential equivalent# in lieu of the provisions of Section [23-434](#) (Height and setback modifications for eligible sites).